### R E P L A C E M E N T P R O D U C T S

IMONTON ormBreaker Plus

Windows and Doors

Simonton StormBreaker Plus<sup>®</sup> 300VL Products ("Product") includes the vinyl and hardware components, glass, and screens. This Limited Warranty applies only when all of these parts are genuine Simonton components.

### COVERAGE

# Double-Lifetime Limited Warranty – Residential

### 10-Year Limited Warranty – Commercial/Multi-Resident

Subject to the limitations and exclusions herein, and for the duration of the applicable Warranty Period of the Residential Warranty Holder or Commercial/Multi-Resident Warranty Holder (as defined below), Simonton Windows, Inc. and Simonton Industries, Inc. (hereinafter, "Simonton"), warrants that the Product will be free from non-conformities in material and workmanship. Simonton will repair or replace any Product that fails to meet this Limited Warranty of a Residential Warranty Holder that is installed up to an elevation of not more than three (3) stories (for Product installations over three stories contact Simonton for warranty consideration); provided in either case, Simonton may refund the purchase price (the lesser of the original Product/component purchase price or the original catalog list price) if in Simonton's opinion such repair or replacement is not commercially practical or reasonable or cannot timely be made. This Limited Warranty is applicable to Products purchased and installed in the United States or Canada only.

NOTE: Simonton StormBreaker Plus<sup>®</sup> window and door products are manufactured to meet or exceed codes mandated by legislation for areas where high winds may occur. When properly installed by third parties according to Simonton's published instructions, all Simonton StormBreaker Plus<sup>®</sup> products have been tested and certified to meet the following recognized standards for areas where high winds and windborne debris become a factor.

- Florida Building Commission
- American Society for Testing and Materials (ASTM) E1886 & E1996
- Southern Building Code Congress International (SBCCI) SSTD 12
- Texas Department of Insurance (TDI) TDI 1-98

NOTE FURTHER: The above standards provide that if window and door products meet the above recognized standards, it is not a manufacturing or material defect if (i) the window glass shatters, or the screen is damaged when impacted by high winds and/or wind-borne debris and the glass remains adhered to the interlayer, (ii) flying glass or windborne debris damages the frame or screen, or (iii) the window glass shatters or the screen are damaged, when the window or screens are impacted by high winds and wind-borne debris that exceed the established parameters of the standards.

AS STATED MORE FULLY HEREAFTER, THIS LIMITED WARRANTY DOES NOT COVER DAMAGE CAUSED BY ENVIRONMENTAL, NATURAL OR UNNATURAL FORCES THAT EXCEED THE ESTABLISHED PARAMETERS SET FORTH IN THE ABOVE-MENTIONED CODES

### **Warranty Period**

### For Residential Warranty Holder: Double-Lifetime Limited Warranty

The Lifetime Limited Warranty is transferable by the original Residential Warranty Holder one time to a subsequent Residential owner and the Residential Warranty Period will continue ("Double Lifetime"). If the transfer is to a Commercial/Multi-Resident owner, the warranty will continue only until (and will expire on) the 10th anniversary of the original purchase date of the Product (that is, the warranty is only transferable by the original Residential owner to a subsequent Commercial/Multi-Resident owner if the transfer occurs during the first 10 years following purchase of the Product.) Regardless of the classification of the transferee, the Warranty must be properly transferred following the procedure set forth below in order to be effective.

**Commercial/Multi-Resident Warranty Holder: 10 years** from the earlier of the date Product was shipped from Simonton or an authorized dealer; transferable to successive non-Residential owners during and for any balance of the 10 year Warranty Period and only if the Warranty has been properly transferred following the procedure set forth below.

### Warranty Transfer

Any Warranty Transfer previously described will be deemed effective only if the following procedures are completed: (1) written notice is provided to Simonton within 30 days after the transfer of ownership of the premises where the Products are installed, (2) delivered to Simonton Windows, 5300 Briscoe Road, P.O. Box 1646, Parkersburg, WV 26102-1646, (3) accompanied by a copy of this Limited Warranty, the Product order number (bar code located in the sash head, sill or jamb of each Product).

### Warranty Holder Classifications

**Residential Warranty Holders:** If the Product is installed in (1) a new residential dwelling and the first occupant owns the dwelling or (2) an existing owner-occupied residential dwelling, and in each case, at the time of installation such owner is also responsible for Product replacement, then that owner is a Residential Warranty Holder. For example, assume the Product is installed in a condominium unit (a "dwelling") in a multi-resident building. If the first occupant of the

### Double - Lifetime LIMITED WARRANTY

condominium unit is the first owner of that unit (or the first Residential successor of the first owner) and is also responsible for Product replacement, then that owner is a Residential Warranty Holder; however, if the owner is not the first occupant (nor the first Residential successor of the first owner) or if someone else other than such owner (for example, the condominium association) is responsible for Product replacement, then the owner is not a Residential Warranty Holder.

SIMONTON StormBreaker Plus<sup>®</sup>

Windows and Doors

**Commercial/Multi-Resident Warranty Holders:** If the Product If the Product is installed under conditions in which no one qualifies as a Residential Warranty Holder as described above, then the warranty holder is the owner of the dwelling or building in which the Product has been installed at the time of installation (and its builder and contractor). That owner is classified as a Commercial/Multi-Resident Warranty Holder. For example, this includes owners of commercial or investment buildings, or multi-resident premises in which the occupant is not responsible for Product replacement whether or not the occupant owns the residential dwelling unit in the premises (including by example, certain condominiums, town homes, duplexes, apartments, cooperatives).

This Limited Warranty is further subject to the limitations and exclusions below:

### Vinyl

#### Vinyl (General)

### Double-Lifetime — Residential; 10-years — Commercial/Multi-Resident

Vinyl components of Products (excluding any Factory-Applied Exterior Coating) are warranted against peeling, flaking, chipping, blistering and corrosion for the applicable Warranty Period. If such defects occur, Simonton will provide replacement parts at no charge to the Warranty Holder. Simonton reserves the right to provide replacement products with comparable functionality but replacement products are NOT guaranteed to match the color of the original Product or component or of other windows or doors in the premises. This Limited Warranty becomes void if the vinyl or any interior surface or laminate is painted, stained, or if the surface is altered in any way, or as provided below at *"WHAT THIS WARRANTY DOES NOT PROVIDE."* 

### **Factory-Applied Exterior Coating**

# 10-years; transferable and continuing until 10th anniversary of Product purchase — Residential;

### 3-years; not transferable - Commercial/Multi-Resident

For Products purchased with a factory-applied exterior coating on the vinyl components, the factory-applied exterior coating is warranted to the Residential Warranty Holder against peeling, flaking, chipping, blistering and corrosion, and for significant ultraviolet fading or discoloration caused by natural environmental conditions (subject to the limitations below), for the applicable Warranty Period. If such defects occur, Simonton will, at its option, provide the Warranty Holder factory-

authorized repair at no charge, or provide replacement parts only at no charge to the Warranty Holder (assembly and labor not included), or refund the purchase price of the Product or component (the lesser of the original Product or component purchase price or the original catalog list price at the time of purchase). Repaired or replaced Products or components are NOT guaranteed to match the color of the original Product or component or of other windows or doors in the premises, due, in part, to the normal effects of weathering over time on exterior coating or finishes.

This Limited Warranty does not include non-conformities or damage attributable to or arising from:

- Any painting, staining, or other alteration of the factory-applied exterior coating surface of the Products
- Minor scratches or minor visual imperfections within the Product's standard manufacturing and quality specification parameters. For questions or to purchase a touch-up kit, contact, contact 1-800-SIMONTON (1-800-746-6686)
- Damage to the factory-applied exterior coating occurring after the Product leaves Simonton's facility, whether arising during pre-installation handling or storage (including inadequate shelter or inadequate venting of shipping wrap in hot and humid locations), installation, maintenance, or otherwise
- Minor scoring or scratching of the factory-applied exterior coating surface due to normal operation of the Products is not considered a manufacturing defect
- Chemicals or solvents, including by example, acidic brick washes, or stucco leach
- Maintenance inconsistent with the Care and Maintenance recommendations set forth in the Limited Warranty
- Harsh natural environmental conditions, including by example, from substantial exposure to sun, salt spray or airborne pollutants
- Excessive artificial temperature buildup or exposure, including by example, from the use of storm doors or windows or shutters under certain circumstances
- Installation in locations or a manner that exceeds or deviates from product design standards and/or testing and certified performance specifications, and/or not in compliance with building codes
- Labor for removing, installing, or replacing Product or components or labor for other materials that are removed, reinstalled or refinished in conjunction with repairing or replacing the Product or component
- Fading, discoloration, or color change of the factory-applied color coating that equals or is less than five (5) E units, calculated in accordance with ASTM D2244, paragraph 6.2, effective on the date the Product is manufactured, and which covers less than a material portion or the exterior vinyl components of the Product. Color change

will be measured on an exposed colored surface of the Product that has been properly cleaned of soils, and the corresponding values measured on the original or unexposed colored surface. Non-uniform fading or color change is a natural occurrence if the exterior surfaces of the Product are not equally exposed to the sun and other environmental conditions.

Any matter stated in *"WHAT THIS WARRANTY DOES NOT PROVIDE"* 

### Hardware

### Double-Lifetime — Residential; 10-years — Commercial/Multi-Resident

MONTON rmBreaker Plus

ndows and Doors

The Product Hardware (mechanical and locking mechanisms, the standard-finish option on Simonton's door handles, and Operating Hardware (i.e., fasteners, rollers, balances, hinges, etc), is warranted against peeling, flaking, rusting, blistering, corrosion, and breaking during the applicable Warranty Period, however, this Limited Warranty DOES NOT COVER (1) Casement and Awning Hardware installed within two (2) miles of any body of salt water unless the Casement and Awning Hardware is stainless steel hardware that is ordered with the Products; in such case, the Warranty Period for the stainless steel Casement and Awning Hardware is two (2) years; or (2) the FINISH on any door handles available from Simonton as a custom-finish option (including but not limited to brass), for example finish discoloration or scratches and abrasions; door handles with custom-finishes are warranted only against breakage of the mechanical and locking mechanisms. If a defect covered under this section occurs, Simonton will provide replacement parts at no charge to the Warranty Holder. Repaired or replaced hardware or Products with hardware are NOT guaranteed to match the color of the original Product or components of other windows or doors in the premises. The provisions of "WHAT THIS WARRANTY DOES NOT PROVIDE" apply.

### Screens

#### **Double-Lifetime – Residential**

The Product's screen frame is warranted to the Residential Warranty Holder against peeling, flaking, blistering and corrosion for the Warranty Period. The fiberglass screen mesh is warranted to the Residential Warranty Holder against insect damage, accidental punctures and tears for the Warranty Period. If such defects occur, Simonton will ship via common carrier replacement screens at no charge to the Residential Warranty Holder. This Limited Warranty does not include:

- Screen material damage caused by domestic or wild animals
- Bent screen frames due to improper installation or removal
- Installation and the cost of labor for screen replacement
- Any matter stated in *"WHAT THIS WARRANTY DOES NOT PROVIDE"*

### **Insulating Glass Unit**

Double - Lifetime LIMITED WARRANT

### 20-years to Lifetime (Prorated) — Residential; 10-years — Commercial/Multi-Resident

The installed and sealed insulating glass unit is warranted against permanent and material obstruction of vision from film formation caused by dust or moisture in the air space between the glass for the Warranty Period. The internal grid is warranted against insert slippage, flipping or sagging for the Warranty Period. If such defects occur during the first 20 years of the Residential Warranty Holder's Warranty Period or fails during the first 10 years of the Commercial/Multi-Resident Warranty Holder's Warranty Period, Simonton will provide a replacement insulating glass unit at no charge to the Warranty Holder.

Insulating glass units containing capillary tubes (recommended for use in insulating glass units traveling through or being installed in areas with elevations 7,000 feet or more above sea level) are warranted against permanent and material obstruction of vision from film formation caused by dust or moisture in the air space for the Warranty Period. If such defects occur during the Warranty Period, Simonton will provide a replacement insulating glass unit at no charge. If the glass should fail after the designated time period, Simonton will charge the full selling price for the insulating glass unit.

If the defects occur after the initial no charge replacement period, Simonton will cover for a Residential Warranty Holder a fixed percentage of Simonton's list price of the insulating glass unit on the Warranty Holder's date of purchase, according to the following prorated schedule.

SIMONTON StormBreaker Plus*	100%	75%	50%
300VL Series	0-20 Yrs.	21-50	51 Yrs
Windows and Doors		Yrs.	Lifetime

#### This Limited Warranty for Glass does not include:

- Minor variations in glass color or imperfections that do not affect the structural integrity of the glass or do not permanently and materially obstruct vision
- Any sound that occurs from the grids tapping or otherwise striking the glass due to vibrations from use of the window or exterior vibrations to the windows (such as caused by opening or closing the window; animals, person, or objects striking the glass; wind; or outside traffic, trains, or airplanes, etc) is not considered an imperfection or defect, nor is the grid touching the glass (even in triple-strength units) considered an imperfection or defect.

 Glass covered with after-market window films, coatings or other products not originally supplied by Simonton

MONTON rmBreaker Plus

Windows and Doors

- Stresses from localized heat which cause excessive temperature differentials over the glass
- Post-manufacture dissipation of inert gases (as argon), or the amount of gas in Products with inert gas-filled insulating glass
- Scratches or other imperfections not readily observable beyond four feet away
- Mineral deposits
- Minor variations in glass color or imperfections that do not affect the structural integrity of the glass or do not permanently and materially obstruct vision, including but not limited to minor distortion or waviness inherent to heat strengthened, tempered and laminated glass.
- Internal and external condensation,\* frost, dew or mold resulting from humidity within the building or from outside conditions along with interior/exterior temperature differentials

\*There is no such thing as a condensation-free window in high humidity conditions. Controlling the amount of moisture in your home is the most effective action you can take to avoid internal condensation. External condensation can also occur under certain atmospheric conditions. When the external glass temperature drops below the outdoor dew point temperature, exterior condensation can occur. For additional information concerning condensation, please visit www.simonton.com/condensation

### Laminated Glass

### 20-years – Residential; 10-years – Commercial/Multi-Resident

The laminated glass feature, also referred to as a PVB interlayer, is warranted for a period of twenty (20) years against defects resulting in material obstruction of vision or delamination under normal usage. If such defects occur during the first 20 years of the Residential Warranty Holder's Warranty Period, or occur during the first 10 years of the Commercial/Multi-Resident Warranty Holder's Warranty Period, Simonton will provide a replacement insulating glass unit with the laminated glass feature at no charge to the Warranty Holder. For clarification, all other provisions of this Limited Warranty applicable to the Insulating Glass Unit continue to apply to Product with the laminated glass feature.

### WHAT THIS LIMITED WARRANTY DOES NOT COVER

#### A. Generally

This Limited Warranty does not include non-conformities or damages attributable to or arising from:

- Minor scratches or minor visual imperfections
- Negligence; vandalism, riot or civil disorder, acts of terrorism, improper use, installation, finishing, maintenance or operation inconsistent with Simonton's recommendations and written instructions that are generally available in Simonton's installation instructions as updated by bulletins or other written communications or on Simonton's website at www.simonton.com. Improper pre-installation storage, including inadequate shelter or inadequate venting of shipping wrap in humid locations
- Misapplication or faulty building design or construction, including inadequate flashings or caulking; building settlement or structural failures of walls or foundations
- Subjection to improper temperature, humidity, or other environmental conditions including by example, harmful fumes, vapors, solvents, chemicals, or pollutants in the atmosphere
- Normal wear and tear, including without limitation, wear and tear to weatherstripping or door bottom gaskets
- The caulking used to seal the frames or trim packages
- Labor costs are not included under this Warranty and neither Simonton nor its distributors will be responsible for any costs incurred in the removal, replacement, installation or reinstallation of the Simonton product or any part thereof, furnished by Simonton under this Warranty
- Product installations over an elevation of three (3) stories, unless a written exception to this Limited Warranty exclusion has been obtained from Simonton
- Products installed other than in the United States or Canada

### **B.** Certain Environmental Conditions

This Limited Warranty does not guarantee safety for persons or property, nor make a premises hurricane-proof or impact-proof. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. This Limited Warranty does not cover damage attributable to or caused by acts of nature that include, but are not limited to stresses, high winds, floods, fire and other conditions that exceed Product designs that are test evaluated and certified as referenced in Simonton's published literature. CERTIFICATION APPROVAL, RATING, AND REFERENCES TO OTHER PERFORMANCE STANDARDS MEAN THAT THE PRODUCT MEETS THE ESTABLISHED

### Double - Lifetime LIMITED WARRANTY

### SPECIFICATION PARAMETERS OF THE CERTIFICATION PROCESS OR STANDARD TESTING AT THE TIME THE PRODUCT IS MANUFACUTURED.

MONTON rmBreaker Plus

Windows and Doors

However, with exposure over time to environmental conditions, including by example, high wind events and other forces of nature, the Product will be subjected to normal and abnormal wear and its performance capability may change. Consult local building code laws, and the certification and rating agencies' published materials and websites, for guidelines on the standards necessary to meet all regulations and codes in your area. Product features designed to help address pressurization of a building during high-wind or other severe storm events are not a guarantee against water and air infiltration. Simonton is not responsible for claims or damages caused by water or air infiltration or improper installation. PRODUCT SELECTION IS THE SOLE RESPONSIBILITY OF THE WARRANTY HOLDER.

NOTE: Exterior accessories manufactured by Simonton for retrofit or new construction products are not designed and not intended by Simonton to be used by the Warranty holder or its agents as a barrier against water infiltration and are NOT A SUBSTITUTE FOR ADEQUATE FLASHINGS or other appropriate building design, construction and installation considerations. Simonton is not responsible for building, structural, or other damage that has occurred as a result of water that may penetrate between the Product or any applied accessory.

### C. Damage From Failure to Inspect Product Following Each High-Wind or Impact Event

Product that is subject to any high-wind event or the possibility of having been impacted by wind-borne debris should be promptly inspected by the Warranty Holder or by a building professional if the Warranty Holder cannot perform this inspection themselves or if there is concern about Product damage. Proper care and maintenance of the Product is the responsibility of the Warranty Holder and failure to do so may void the Limited Warranty. Although a Product may appear to be in good working condition, the effects of such an event(s) may have adversely affected the ability of the Product to provide subsequent protection against another such event.

### This Limited Warranty's Exclusive Remedy

If the Product or any components fail to meet this Limited Warranty, Simonton's sole obligation is, to either (as Simonton elects): a) repair the component (aesthetic matching not guaranteed); or b) provide replacement component(s) to the Warranty Holder or a Simonton designated dealer (aesthetic matching not guaranteed); or c) refund the Warranty Holder's purchase price (the lesser of the original Product/ component purchase price or the original catalog list price). Repaired or replaced components are warranted only on the same terms and for the remainder of the Warranty Period. Simonton reserves the right to discontinue or change any Product. If the Product or component is not available, Simonton may select and provide a replacement Product or component of equal quality and price. This is the Warranty Holder's sole and exclusive remedy for the Product under this Limited Warranty. By example but not limitation, this Limited Warranty does not cover the following costs and expenses: (i) except as expressly set forth in this Limited Warranty, labor for removing, reinstalling, refinishing Product (or other materials that are removed, reinstalled or refinished to repair or replace the Product); (ii) shipping/freight expenses to return the Product to Simonton; (iii) normal maintenance; or (iv) consequential, special, or indirect losses or damages of any kind.

### **Disclaimer of Warranties**

THIS LIMITED WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT THAT ANY IMPLIED WARRANTIES MAY NONETHELESS EXIST BY OPERATION OF LAW, SUCH WARRANTIES ARE LIMITED TO THE DURATION PROVIDED BY LAW. SOME STATES/PROVINCES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY. SIMONTON DOES NOT AUTHORIZE ANYONE TO CREATE FOR IT ANY OBLIGATION OR LIABILITY IN CONNECTION WITH PRODUCTS.

### Limitation of Liability

SIMONTON'S SOLE LIABILITY UNDER THIS LIMITED WARRANTY IS REPLACEMENT. REPAIR. OR REFUND OF THE PURCHASE PRICE AS SET FORTH ABOVE. IN NO EVENT WILL SIMONTON BE LIABLE FOR INCIDENTAL. CONSEQUENTIAL. INDIRECT. SPECIAL. OR PUNITIVE DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGE OF ANY KIND TO A PREMISES, LOSS OF PRODUCT USE, REINSTALLATION, LABOR, REMOVAL, REFINISHING (EXCEPT TO THE EXTENT EXPRESSLY PROVIDED IN THIS LIMITED WARRANTY), TEMPORARY OR PERMANENT RELOCATION OF RESIDENTS OR PROPERTY, LOSS OF PROFITS/REVENUE, INTEREST, LOST GOODWILL, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS OR WORK. INCREASED OPERATING EXPENSES. EMOTIONAL DISTRESS CLAIMS, OR CLAIMS OF THIRD PARTIES FOR SUCH DAMAGES. WHETHER BASED ON CONTRACT. WARRANTY). TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY. THIS LIMITED WARRANTY PROVIDES SPECIFIC LEGAL RIGHTS BUT WARRANTY HOLDER MAY HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. IF THIS LIMITED WARRANTY IS DEEMED TO HAVE FAILED OF ITS ESSENTIAL PURPOSE. IN NO EVENT WILL SIMONTON'S ENTIRE LIABILITY EXCEED THE LESSER OF THE PRODUCT'S OR THE NON-CONFORMING COMPONENT'S PURCHASE PRICE.

#### Claims

Claims must be initiated during the Warranty Period. To initiate a claim, please contact the builder, dealer or contractor who installed or sold the Product. If that party is unknown or unreachable, contact Simonton Windows, Inc., 5300 Briscoe Road, P.O. Box 1646, Parkersburg, WV 26102-1646 at 1-800-SIMONTON (1-800-746-6686) or at www.simonton. com or www.simontonwindows.com.Claimant will be required to provide proof of premises ownership, the date of Product purchase, the order number (bar code located on the sash head, jamb or sill of each Product), and specify the alleged defect. Simonton reserves the right to inspect the Product, and may be required to return the Product or component to Simonton (at Claimant's expense).

MONTON rmBreaker Plus

Windows and Doors

Warranty Holders whose premises has experienced a high wind event or impact from windborne debris, should contact their builder or contractor or other building professional if they have concerns about storm damage to their windows, screens or doors. Although each window and door may appear to be in good working condition, the effects of the previous event(s) may adversely affect the ability of the Product to provide subsequent protection against another high-wind or windborne debris impact event. Please see the Homeowner Checklist below. This list should be used to inspect each window and door following a high-wind or windborne debris impact event.

### HOMEOWNER CHECKLIST FOR IMPACT WINDOWS AFFECTED BY A HIGH-WIND EVENT, WINDBORNE DEBRIS OR HURRICANE

 Check for visual damage on each window. Is the glass broken or cracked as the result of the event? Are vinyl or aluminum members of the frame or sash cracked or damaged as a result of the event?

If the answer is "YES" to either of these questions, call your insurance company to assess the damage. If the answer is "NO", continue to the next check section.

- 2. Ensure the window is still functional. USE EXTREME CAUTION WHEN OPERATING WINDOWS IN CASE THE SASH IS NOT SECURED IN THE FRAME!
  - a. Will the sash move freely up and down?
  - b. Will the Casement sash crank in and out?
  - c. Will a door swing out and in? Will a sliding door move freely back and forth?
  - d. Will a Slider (glider) sash move freely to the left and right?
  - e. Picture windows are non-operational and will not require this test.
  - f. Test the locking system. Are you able to lock the window or door?

If the answer is "NO" to ANY of these questions, call your insurance company to assess the damage.

### CARE AND MAINTENANCE OF YOUR VINYL WINDOWS AND DOORS

Double - Lifetime LIMITED WARRANT

> Congratulations on choosing windows and doors that offer the easy care and maintenance of vinyl. Vinyl won't pit, peel or flake over time. As a result, with only simple care and cleaning, your windows and doors can keep their beautiful appearance for years.

Like any surface exposed to outside elements, your windows and doors will get dirty from time to time, but cleaning them is rather simple. Often, heavy rains will wash the vinyl clean, but if the rain isn't enough, you can restore the splendor of your windows and doors by following these simple instructions.

- Wash using mild detergent (if necessary) and a soft cloth or ordinary soft bristle brush. Do not clean the windows or doors with a high-pressure washer. The extreme spray pressure could crack or destroy the caulking around the window or door.
- For difficult to remove dirt and stains use the readily available household cleaners listed on the chart. Follow the manufacturer's instructions on use of the cleaners.
- In some cases, you may wish to use a mildly abrasive cleanser such as Soft Scrub,<sup>®</sup> but the use of any abrasive material could scratch the surface of the glass and window or door frame.
- D0 NOT USE liquid grease remover, strong soaps or detergents containing organic solvents, nail polish remover, furniture polish or cleaners containing chlorine bleach. These items could affect the surface appearance of the vinyl.

Cleansers to Remove Stains From Vinyl Window and Door Frames

	······
Bubble Gum	Fantastik, <sup>®</sup> Murphy Oil Soap, <sup>®</sup> solution of 30% vinegar and 70% water, Windex <sup>®</sup>
Crayon	Lestoil®
DAP (oil based caulk)	Fantastik®
Felt-tip pen	Fantastik, <sup>®</sup> water based cleansers
Grass	Fantastik, <sup>®</sup> Lysol, <sup>®</sup> Murphy Oil Soap, <sup>®</sup> Windex <sup>®</sup>
Lipstick	Fantastik, <sup>®</sup> Lysol, <sup>®</sup> Murphy Oil Soap <sup>®</sup>
Lithium Grease	Fantastik, <sup>©</sup> Lestoil, <sup>©</sup> Murphy Oil Soap, <sup>©</sup> Windex <sup>©</sup>
Mold and Mildew	Fantastik, <sup>®</sup> solution of 30% vinegar and 70% water, Windex <sup>®</sup>
Motor Oil	Fantastik, <sup>®</sup> Lysol, <sup>®</sup> Murphy Oil Soap, <sup>®</sup> Windex <sup>®</sup>
Oil	Soft Scrub®
Paint	Brillo <sup>©</sup> Pad
Pencil	Soft Scrub®
Rust	Fantastik, <sup>®</sup> Murphy Oil Soap, <sup>®</sup> Windex <sup>®</sup>
Tar	Soft Scrub®
Top Soil	Fantastik, <sup>®</sup> Lestoil, <sup>®</sup> Murphy Oil Soap <sup>®</sup>

\*Cleaning materials are listed in alphabetical order

#### Glass

- For routine cleaning, we recommend using a 30% white vinegar and 70% water premixed cleaning solution. Use a soft, lint-free cloth or paper towels to wipe clean, rubbing in different directions. If there is any residual streaking, rinse with clear water and wipe again.
- Ammonia-free glass cleaners such as Windex<sup>®</sup> also produce good results.
- Rinse windows and doors first if there is excessive dirt and debris.

AONTON mBreaker Plus

Windows and Doors

- Thoroughly dry water and/or cleaning solution from glass and all window surfaces.
- D0 NOT USE razor blades, metal blades, abrasive cleaning solutions or materials to clean the glass due to the high probability that damage to the glass will occur.

#### **Exterior Coatings**

- Wash using mild detergent (if necessary) and a soft cloth or ordinary long-handled soft bristle brush. Do not clean the exterior coating with a high-pressure washer. The extreme spray pressure could damage the surface or crack or destroy the caulking around the window or door.
- Mild window cleaners that are safe to clean the exterior coating on windows and doors include Windex,<sup>®</sup> Formula 409<sup>®</sup> and Fantastik.<sup>®</sup>
- D0 NOT USE liquid grease remover, strong soaps and detergents containing organic solvents, nail polish remover, furniture polish or cleansers containing chlorine bleach. These items could affect the surface appearance of the vinyl.

#### Screens

- For routine cleaning carefully vacuum your window screens
- To thoroughly clean window screens, remove the screens from the window frame. Place the screens on a flat surface (such as the driveway) and use mild soap and water with a soft bristle brush to remove dirt and grime. Clean both sides of the screen and around the interior and exterior of the frame. Rinse off the unit with lukewarm water. Allow the screen to dry completely before replacing in the window
- Do not use a high-pressure spray to clean screens; it could damage the units.
- Use extreme care when cleaning aluminum mesh, since it can be dented or creased if too much pressure is placed on the screen.

#### **Operation of Your Vinyl Windows and Doors**

Along with being virtually maintenance free, your windows and doors have been designed and manufactured to be thermally efficient, aesthetically pleasing and easy to operate. Double Hung and Slider sash lift out; Casement sash open by turning the handle.

## To tilt in the operable sash on Double Hung and Single Hung windows, you must:

- Unlock the sash and raise (or lower) it approximately 4" above (or below) the frame.
- Slide the tilt latches toward the cam lock and gently tilt the sash in. Always support tilted sash while cleaning.
- When finished cleaning, tilt the sash up and snap the tilt latches into place. For safety, make sure the tilt latches are securely engaged.
- If it becomes necessary to remove and reinsert the sash, tilt the sash inward to a 90-degree` angle and lift the bottom of the sash up and out of the frame. To reinsert the sash into the frame, make sure both pivot bars (located at the bottom of the sash) are fully inserted into the balance shoes



Balance Shoe

#### To remove a Slider sash, simply:

- Unlock the sash and slide it past the sash retainer insert located in the head. Note: Some windows may have a sash retainer clip instead of an insert that must be removed before opening the sash.
- Lift the sash up into the head and pull the bottom of the sash towards you.

#### To operate Casements:

- Lift the handle on the side of the frame to unlock the sash. Turn the handle on the bottom of the frame to open the sash to the desired position.
- Turn the handle in the opposite direction to close the sash. To lock the window, make sure the sash is fully closed then lower the handle on the side of the frame.

#### To lock sliding Patio Doors:

- Close the operable panel and make sure it is fully against the frame.
- Lock the panel with the lever located on the handle.



To activate your warranty please complete and mail this card within 30 days of installation, or register online at www.simonton.com.

### PRODUCT INFORMATION

Installation Date \_\_\_\_\_

Order No.

(Your order number is located at the head, sill or jamb of each operable vent or sash. Sample label shown below.)



Number of Windows Purchased \_\_\_\_\_ Number of Doors Purchased

HOMEOWNER INFORMATION (please print
-------------------------------------

Name	 	 	
Address	 	 	
City			
State			
Zip			
Telephone(			
Email			

nt)

Jompany Name	
Address	
City	
State	
Zip	
Telephone()	
Email	
	-